



CoiNel Technology Solutions LLP



# LABELMAX 4000

Precision in Every Label.



150 mm/s



4-inch



USB



TSC Compatible

Powered by CoiNel Technology Solutions LLP

# Smart, Fast & Reliable Desktop Label Printer




The **LabelMax 4000** is a compact yet powerful **4-inch direct thermal label printer** designed for professional labeling needs. Delivering up to **150 mm/s print speed**, crisp **203 DPI resolution**, and broad media support, it's the ideal companion for **warehouses, logistics centers, retail stores, and production floors.**

Speed	Connectivity	Reliability
150 mm/s printing	USB	50 km print-head life

# Performance Engineered for Efficiency

Feature	Specification
Printing Method	Direct Thermal
Resolution	203 DPI
Printing Speed	150 mm/s
Printing Width (Max)	108 mm
Paper Width	20 – 108 mm
Paper Thickness	0.06 – 0.08 mm
Command Set	TSC
Interface	USB
Power Supply	DC 24 V / 2.5 A
Thermal Head Life	50 km
Dimensions (L×W×H)	217 × 176 × 137 mm
Operating Temp / Humidity	0 – 50 °C / 10–80 % RH (non-cond.)
Storage Temp / Humidity	-20 – 60 °C / 10–90 % RH (non-cond.)

## Dimensions



# Versatile Labeling for Every Industry

Logistics & Shipping

Retail & POS

Barcode & Asset Tracking

Manufacturing

Office Labeling

From shipping labels to retail price tags, **LabelMax 4000** delivers clarity, consistency, and speed—making every label a professional statement.


[www.coineltech.com](http://www.coineltech.com)

# Everything You Need in the Box


## Included Items




LabelMax 4000 Printer




Power Adapter



USB Cable



User Manual



Sample Label

## CoiNel Technology Solutions LLP

Innovative solutions in printing, electronics & automation.

**SALES PARTNER MITRONIC SALES PRIVATE LIMITED**



**MITRONIC**  
SALES PRIVATE LIMITED



+91 99721 32037 | +91 99723 57037



3rd floor, KGS Arcade, 699/A, 60 Feet Rd, 11th Block,  
Nagarabhavi 2nd Stage, Bangalore - 560072



[www.mitronic-sales.com](http://www.mitronic-sales.com)

