RAPID LITE

CoiNel

Desktop Receipt Printer

Fast. Reliable. Compact.



A compact desktop thermal printer designed for fast, reliable receipt printing across retail, hospitality, billing, ticketing and service environments.

200 mm/s High-Speed Printing
Fast receipt printing for busy billing environments.

79.5 mm Thermal Paper
Supports standard 80 mm-class thermal paper rolls.

Multiple Connectivity Options
USB + LAN connectivity with RS232 COM available as an optional interface.



Auto Full Cutter
Automatic cutting for clean and convenient receipt

100 km Print Head Life
Designed for dependable long-term commercial

1 Million Cuts
High cutter reliability for demanding applications.

RJ11 Cash Drawer
Direct cash drawer connectivity for POS applications.



USB

LAN

COM

USB + LAN — Standard
RS232 / COM — Optional

Connect seamlessly through USB or LAN for reliable data communication. RS232/COM connectivity is also available as an optional interface.

Designed for Everyday Business



Retail & Supermarkets
Fast receipt printing for checkout counters.



Cafés & Restaurants
Reliable order and billing receipt printing.



Ticketing & Kiosks
Consistent printing for automated and self-service environments.



Hotels & Front Desks
Compact printing for guest billing and service counters.



Clinics & Laboratories
Clear, dependable printing for transaction and service records.

Technical Specifications

Product Type Desktop Receipt Printer	**Printing Method** Direct Thermal	**Resolution** 203 dpi	**Print Speed** Up to 200 mm/s	**Paper Width** 79.5 ± 0.5 mm
Paper Type Thermal Paper	**Maximum Paper Size** 79.5 × 80 mm	**Paper Thickness** 0.06 – 0.08 mm	**Maximum Roll Diameter** 80 mm	**Minimum Core Diameter** 13 mm
Paper Loading Simple Drop-in	**Cutting Method** Auto Full Cut	**Interfaces** USB, LAN	**Optional Interface** RS232 / COM	**Cash Drawer** RJ11
Print Head Life 50 km	**Cutter Reliability** 1 Million Cuts	**Power Supply** Input: 100–240V AC, 50–60Hz	**Power Output** DC 24V, 2A	**Dimensions (L × W × H)** 170 × 136 × 132 mm
Operating Temperature 0–50°C	**Operating Humidity** 10–80% RH, non-condensing	**Storage Temperature** –20–60°C	**Storage Humidity** 10–90% RH, non-condensing	

WHY CHOOSE RAPID LITE?



High-Speed Performance
Print at speeds of up to 200 mm/s for efficient checkout operations.

Built for Commercial Use
100 km print-head life and 1 million cutter operations support demanding workloads.

Simple Paper Handling
Drop-in paper loading makes roll replacement quick and easy.

Flexible Connectivity
USB and LAN connectivity with optional RS232/COM support.

Compact Footprint
A 170 × 136 × 132 mm form factor fits easily into desktop POS environments.

Efficient Operation
24V DC power architecture designed for reliable everyday operation.



SALES PARTNER MITRONIC SALES PRIVATE LIMITED

MITRONIC
SALES PRIVATE LIMITED

+91 99721 32037 | +91 87108 84899

77/9 1st Floor, 4th Cross, 9th Main Rd, Vijaya Nagar II Stage, Hampi Nagar, RPC Layout, Bengaluru, Karnataka 560104

www.mitronic-sales.com

© 2026 CoiNel Technology Solutions LLP. All Rights Reserved.